

ADDENDUM NO. 3

TO: PLANS AND SPECIFICATIONS FOR STATE OF MISSOURI

Renovate Interior
General Headquarters Complex
Jefferson City, MO
PROJECT No.: R2410-01

Bid Opening Date is: 1:30 PM, Tuesday, August 25, 2026 (Not Changed)

Bidders are hereby informed that the Construction Plans and/or Specifications are modified as follows:

SPECIFICATION CHANGES:

1. Section 221005:

a. ADD Reference Standards:

- CISPI 301 – Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications; 2021.
- CISPI 310 – Specification for Coupling for Use in Connection with Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications; 2020.

b. 2.02.B Cast Iron Pipe: CISPI 301, hubless, service weight.

- 2.02.B.1 Fittings: Cast iron.
- 2.02.B.2 Joints: CISPI 310, neoprene gaskets and stainless steel clamp-and-shield assemblies.

DRAWING CHANGES:

1. Drawings A-601 I Schedules:

a. ADD note Room Fixture Schedule table”

- i. “Note: All restroom fixture schedules in new framed stud walls will require appropriate stud blocking for the mounting of units.”

GENERAL COMMENTS:

1. Bidders needing additional site inspection can schedule times on August 20th & 21st with Troy Wolken at (417) 252-4940 if access to the facility is required.
2. Please contact April Howser, Contract Specialist, at (573) 690-9874 or April.Howser@oa.mo.gov, for questions about bidding procedures, MBE\WBE\SDVE goals, and submittal requirements.
3. The deadline for technical questions was Tuesday, August 18, 2026, at noon.

ATTACHMENTS:

1. None.

August 20, 2026 *issued date

END ADDENDUM NO. 3