

ADDENDUM NO. 2

TO: PLANS AND SPECIFICATIONS FOR STATE OF MISSOURI

Company Headquarters & Administration Building
Camp Crowder Training Site
Neosho, Missouri
PROJECT NO.: T1833-01

Bid Opening Date: 1:30 PM, September 5, 2019 (Not Changed)

Bidders are hereby informed that the construction Plans and/or Specifications are modified as follows:

SPECIFICATION CHANGES:

None.

DRAWING CHANGES:

1. Sheet A-311

- a. WALL SECTION 1: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).
- b. WALL SECTION 2: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).
- c. GABLE END DETAIL 3: REVISE Note to read: "Provide combined insulation assembly value at roof no **more** than U-0.0350"
- d. EAVE OVERHANG DETAIL 4: REVISE Note to read: "Provide combined insulation assembly value at roof no **more** than U-0.0350"
- e. BASE OF WALL ATTACHMENT DETAIL 5: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).
- f. GARAGE DOOR HEAD & SILL DETAIL 7: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).

2. Sheet A-611

- a. WINDOW HEAD & SILL DETAIL 2: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052). 2 locations.
- b. EXTERIOR ALUMINUM DOOR HEAD DETAIL 3: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).
- c. EXTERIOR HOLLOW METAL DOOR DETAIL 4: REVISE Pre-engineered Building Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).
- d. HOLLOW METAL DOOR JAMB DETAIL 8: REVISE Faced Insulation (Minimum Assembly U-Value 0.052) to (**Maximum** Assembly U-Value 0.052).

GENERAL COMMENTS:

1. Bidders needing additional site inspection should contact Jeremy Newton at 1-573-308-6894 to schedule a time.
2. Please contact Marlene Blackburn, Contract Specialist, at 573-522-6035 or Marlene.Blackburn@oa.mo.gov for questions about bidding procedures and MBE\WBE\SDVE goals and submittal requirements.
3. The deadline for technical questions was August 28, 2019 at noon.
4. Changes to, or clarification of, the bid documents are only made as issued in the addenda.
5. All correspondence with respect to this project must include the State of Missouri project number as indicated above.
6. Current Planholders list available online at:
<https://www.adsplanroom.net/jobs/123/details/t1833-01-company-headquarters-administration-building-camp-crowder-training-site>
8. Prospective Bidders contact American Document Solutions, 1400 Forum Blvd Suite 1C, Columbia MO 65201, 573-446-7768 to order official plans and specifications.

ATTACHMENTS:

None.

August 30, 2019

END ADDENDUM NO. 2