

## ADDENDUM NO. 2

**TO: PLANS AND SPECIFICATIONS FOR STATE OF MISSOURI**

**Replace Hangar Floor  
Missouri National Guard  
WAFB AASF Hangar  
Knob Noster, Missouri  
PROJECT NO.: T2008-01**

**Bid Opening Date: 1:30 PM, Thursday, June 25, 2020 (Not Changed)**

**Bidders are hereby informed that the construction Plans and/or Specifications are modified as follows:**

### **SPECIFICATION CHANGES:**

#### **1. SECTION 099123 – INTERIOR PAINTING**

a. ADD Paragraph 3.2-E. as follows:

E. Patching and Fill Material: Patch and repair any areas that has spalled or broken concrete using a resinous product of or approved by resinous flooring manufacturer and recommended by manufacturer for application indicated.

i. Existing spalled concrete areas are approximately 12 square feet combined with depths ranging from 1/8" to 1 1/2".

b. ADD Paragraphs 3.3-E. and F. as follows:

E. The Dry Film Thickness (DFT) shall be 20-25 mils.

F. Existing floor markings that shall be repainted by this contract: Centerline stripe in the middle of each bay, all the static grounding points, and the red fire lane. All of these items are existing and is the Contractor's responsibility to paint these items back exactly as they are.

c. ADD Paragraph 3.2-C.2. as follows:

2. The existing joint sealant(s) shall remain in place. Contractor shall apply new epoxy coating over existing joint sealants.

### **DRAWING CHANGES:**

NONE

### **GENERAL COMMENTS:**

1. Changes to, or clarification of, the bid documents are only made as issued in the addenda.
2. Bidders needing additional site inspection should contact Bill Edwards at 573-638-9534, to schedule a time.

3. Please contact Mandy Roberson, Contract Specialist, at 573-522-0074 or [mandy.roberson@oa.mo.gov](mailto:mandy.roberson@oa.mo.gov) for questions about bidding procedures and MBE\WBE\SDVE Goals and bid submittal requirements.

**ATTACHMENTS:**

NONE

**June 18, 2020**

**END ADDENDUM NO. 2**