

# REPLACE LOCKING SYSTEM

# MISSOURI EASTERN CORRECTIONAL CENTER

# PACIFIC, MO

**GENERAL NOTES:**

1. THE PROJECT WORK AREA IS WITHIN THE BOUNDARIES OF AN EXISTING FULLY OPERATIONAL CORRECTIONAL FACILITY THAT HOUSES LOW TO MEDIUM SECURITY INMATES AS WELL AS HOUSING INMATES AWAITING TRANSFER TO HIGHER LEVEL INSTITUTIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO BECOME FAMILIAR WITH THE OPERATIONS AND WORKING CODITIONS AT THE FACILITY PRIOR TO BID SUBMISSION.
2. THE CONTRACTOR SHALL PLAN ALL CONSTRUCTION ACTIVITIES TO ENSURE THE OCCUPANTS AND STATE WORKERS SAFETY AND SECURITY THROUGHOUT THE DURATION OF THE PROJECT.
3. THE CONTRACTOR SHALL REVIEW, CONFIRM AND COORDINATE PATHS OF ACCESS TO THE SITE AND WORK AREAS AND IDENTIFY AND PROVIDE CONTROLS TO SEPARATE CONSTRUCTION AND CONSTRUCTION ACCESS POINTS FROM FACILITY OPERATIONS. REVIEW OPERATIONAL PATHS OF ACCESS (ADMINISTRATIVE AND CORRECTIONS) AGAINST CONSTRUCTION LOGISTICS, ACCESS ROUTES AND THE SECURE PERIMETER.
4. THE CONTRACTOR SHALL UTILIZE A DOCUMENTED SYSTEM FOR INVENTORY (CHECK-IN/CHECK-OUT) OF TOOLS WHEN WORKING IN POPULATED LOCATIONS.
5. BACKGROUND CHECKS SHALL BE CONDUCTED ON ALL CONSTRUCTION PERSONNEL TO RECEIVE AUTHORIZATION TO WORK ON THE SITE PRIOR TO CONSTRUCTION ACTIVITIES.
6. THE WORK SHALL BE PHASED TO MINIMIZE DISRUPTION IN OPERATIONS. LOCK REPLACEMENTS SHALL BE PERFORMED WITHIN EACH WING OF HOUSING UNITS 1,2,3, AND 4. EACH HOUSING UNIT CONSISTS OF FOUR WINGS; WORK WITHIN EACH WING SHALL BE COMPLETE BEFORE PROCEEDING TO ANOTHER WING IN EACH HOUSING UNIT.
7. WORK WITHIN THE ADMINISTRATION BUILDING /HOUSING UNIT 5 SHALL BE PHASED SO THAT THE DOOR CONTROL SYSTEM REMAINS OPERATIONAL AT ALL TIMES.

OWNER:

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR  
DEPARTMENT OF  
CORRECTIONS

PROJECT  
MANAGEMENT:

OFFICE OF ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND CONSTRUCTION


ARCHITECTURE &  
ENGINEERING:



6 SOUTH OLD ORCHARD  
ST. LOUIS, MO 63119  
T 314.918.8383  
F 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com


**DRAWING INDEX**

| Sheet Number | Sheet Name                                   |
|--------------|----------------------------------------------|
| G000         | COVER SHEET                                  |
| A001         | ARCH. SITE PLAN SYMBOLS & ABBREVIATIONS      |
| A102         | PARTIAL FL. PLAN - HOUSING UNIT 5 ALTERNATES |
| A103         | FLOOR PLAN - HOUSING UNIT 1                  |
| A104         | MEZZANINE PLAN - HOUSING UNIT 1              |
| A105         | FLOOR PLAN - HOUSING UNIT 2                  |
| A106         | MEZZANINE PLAN - HOUSING UNIT 2              |
| A107         | FLOOR PLAN - HOUSING UNIT 3                  |
| A108         | MEZZANINE PLAN - HOUSING UNIT 3              |
| A109         | FLOOR PLAN - HOUSING UNIT 4                  |
| A110         | MEZZANINE PLAN - HOUSING UNIT 4              |
| A601         | DOOR SCHEDULE & DETAILS                      |
| A901         | EXISTING CONDITIONS PHOTOGRAPHS              |
| E300         | ADMIN BUILDING AND HOUSING UNIT 5 ALTERNATES |



DESIGNER: Introba Inc.  
PROJECT NUMBER: C2410-01  
SITE NUMBER: 7007

ASSET NUMBERS:  
ADMINISTRATION BUILDING &  
HOUSING UNIT 5: 9327007008  
HOUSING UNIT 1: 9327007009  
HOUSING UNIT 2: 9327007010  
HOUSING UNIT 3: 9327007011  
HOUSING UNIT 4: 9327007012




SHEET NUMBER:

G000

1 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS





**GENERAL NOTES - SITE PLAN**

A. THE SITE PLAN IS PROVIDED SO THAT THE CONTRACTOR CAN FULLY UNDERSTAND THE OVERALL SITE, CORRECTIONAL FACILITY OPERATIONS, ACCESS POINTS FOR CONSTRUCTION PERSONNEL AND THE SECURE PERIMETER.

B. THE CONTRACTOR SHALL REVIEW AND CONFIRM ENTRY POINTS AND PATHS OF TRAVEL FROM THE EXTERIOR OF THE SECURE BOUNDARY TO THE WORK AREAS WITHIN THE SECURE BUILDINGS WHERE CONSTRUCTION ACTIVITIES WILL OCCUR. THE CONTRACTOR SHALL CONFIRM WHAT AREAS NEED TO REMAIN SECURE AND WHERE THE SECURE PERIMETER BEGINS AND ENDS TO ENSURE SAFETY DURING THE DURATION OF CONSTRUCTION.

C. CONTRACTOR SECURE STAGING AREA SHALL BE CONFIRMED WITH THE STATE PRIOR TO CONSTRUCTION. CONSTRUCTION MATERIALS AND TOOLS SHALL BE SECURED AND STORED OUTSIDE OF THE SECURED PERIMETER.

| ARCHITECTURAL SYMBOLS |                           |                                         |                                    |
|-----------------------|---------------------------|-----------------------------------------|------------------------------------|
| ANNOTATION            |                           |                                         |                                    |
| #                     | KEYNOTE                   | Date                                    | REVISION                           |
| R308A                 | DOOR NUMBER               |                                         |                                    |
|                       | DETAIL NUMBER             |                                         |                                    |
|                       | SHEET DETAIL IS INDICATED |                                         |                                    |
| Room Name<br>101      | ROOM NAME AND NUMBER      | PLAN NORTH<br>TRUE NORTH<br>NORTH ARROW |                                    |
|                       | NEW DOOR                  |                                         |                                    |
|                       | EXISTING DOOR TO REMAIN   |                                         | EXISTING WALL/ PARTITION TO REMAIN |

| ABBREVIATIONS |                         |      |                                  |       |                 |
|---------------|-------------------------|------|----------------------------------|-------|-----------------|
| ALT           | ALTERNATE               | GA   | GAUGE                            | REQD  | REQUIRED        |
| ALUM          | ALUMINUM                | GALV | GALVANIZED                       | REV   | REVISION        |
| APPROX        | APPROXIMATE(LY)         |      |                                  | RM    | ROOM            |
| ARCH          | ARCHITECTURAL/ARCHITECT | HDW  | HARDWARE                         | RO    | ROUGH OPENING   |
|               |                         | HM   | HOLLOW METAL                     |       |                 |
| BLDG          | BUILDING                | INT  | INTERIOR                         | S     | SOUTH           |
| BLK           | BLOCK                   |      |                                  | S STL | STAINLESS STEEL |
|               |                         |      |                                  | SCHED | SCHEDULE        |
| CLG           | CEILING                 | JT   | JOINT                            | SECT  | SECTION         |
| CLR           | CLEAR                   |      |                                  | SF    | SQUARE FEET     |
| CMU           | CONCRETE MASONRY UNIT   | MAS  | MASONRY                          | SIM   | SIMILAR         |
| COL           | COLUMN                  | MAX  | MAXIMUM                          | SPEC  | SPECIFICATION   |
| CONC          | CONCRETE                | MFR  | MANUFACTURER                     | STL   | STEEL           |
| CONN          | CONNECTION              | MIN  | MINIMUM                          |       |                 |
| CONST         | CONSTRUCTION            | MISC | MISCELLANEOUS                    | TEMP  | TEMPERED        |
| CONTR         | CONTRACTOR              |      |                                  | TYP   | TYPICAL         |
|               |                         | N    | NORTH                            |       |                 |
| DIM           | DIMENSION               | NIC  | NOT IN CONTRACT                  | VIF   | VERIFY IN FIELD |
| DTL           | DETAIL                  | NOM  | NOMINAL                          | W     | WEST            |
| DWG(S)        | DRAWING(S)              |      |                                  |       |                 |
| E             | EAST                    | OFOI | OWNER FURNISHED, OWNER INSTALLED |       |                 |
| EL            | ELEVATION               | OPNG | OPENING                          |       |                 |
| ELEC          | ELECTRICAL              | OPP  | OPPOSITE                         |       |                 |
| ENGR          | ENGINEER                |      |                                  |       |                 |
| EXIST         | EXISTING                | PRTN | PARTITION                        |       |                 |
| EXT           | EXTERIOR                | PT   | PAINT                            |       |                 |
| FIN           | FINISH                  |      |                                  |       |                 |
| FLR           | FLOOR                   |      |                                  |       |                 |
| FT            | FEET (FOOT)             |      |                                  |       |                 |
| FV            | FIELD VERIFY            |      |                                  |       |                 |

NOTE: NOT ALL ABBREVIATIONS ARE USED IN THIS DRAWING SET

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING

**Introba**  
6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007008, 9327007009,  
9327007010, 9327007011,  
9327007012

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP


SHEET TITLE:

ARCH. SITE PLAN  
SYMBOLS &  
ABBREVIATIONS


SHEET NUMBER:

**A001**

2 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS




KEY PLAN





1

**ARCHITECTURAL SITE PLAN**  
1" = 100'-0"


BUSINESS LOOP 44



2 PARTIAL ENLARGED FLOOR PLAN - ADMIN BLDG. ALTERNATE BID 1  
1/4" = 1'-0"




1 FLOOR PLAN - HOUSING UNIT 5  
3/32" = 1'-0"



### GENERAL NOTES - FLOOR PLANS



- A. SLIDING DOOR MECHANISMS IN HOUSING UNIT 5 AND ADMIN BUILDING ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULE/DOOR TYPES ON SHEET A601 AND ELECTRICAL DRAWING SHEET E300.
- B. DOORS 151A, 151B, & 151C ARE CONTROLLED BY THE DOOR CONTROL PANEL IN CONTROL ROOM 150.
- C. DOORS 256, 258A, 258B, 259A & 259B ARE CONTROLLED BY THE DOOR CONTROL PANEL IN CONTROL ROOM 260.



NOTE: SEE SHEET A601 FOR ADDITIONAL INFORMATION



### 3 PARTIAL ENLARGED FLOOR PLAN - AT ENTRY ALTERNATE BID 2

1/4" = 1'-0"



### 4 PARTIAL ENLARGED FLOOR PLAN HOUSING UNIT 5 ALTERNATE BID 1

1/4" = 1'-0"



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007008

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP



SHEET TITLE:

PARTIAL FL. PLAN -  
HOUSING UNIT 5  
ALTERNATES

SHEET NUMBER:

A102

3 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS




1 FLOOR PLAN - HOUSING UNIT 1

3/32" = 1'-0"

GENERAL NOTES - FLOOR PLAN

A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 1 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007009

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:


FLOOR PLAN -  
HOUSING UNIT 1

SHEET NUMBER:

A103

4 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS






1


MEZZANINE PLAN - HOUSING UNIT 1

3/32" = 1'-0"



GENERAL NOTES - FLOOR PLAN

- A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 1 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007009

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:

MEZZANINE PLAN -  
HOUSING UNIT 1

SHEET NUMBER:

A104



5 OF 14 SHEETS

11/10/2025


BID DOCUMENTS

GENERAL NOTES - FLOOR PLAN

A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 2 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



1 FLOOR PLAN - HOUSING UNIT 2  
3/32" = 1'-0"



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007010

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:


FLOOR PLAN -  
HOUSING UNIT 2

SHEET NUMBER:

A105


6 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS





**GENERAL NOTES - FLOOR PLAN**


- A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 2 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



1

**MEZZANINE PLAN - HOUSING UNIT 2**

3/32" = 1'-0"



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01

SITE # 7007

ASSET # 9327007010

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:

**MEZZANINE PLAN -  
HOUSING UNIT 2**

SHEET NUMBER:

**A106**



7 OF 14 SHEETS

11/10/2025

BID DOCUMENTS

GENERAL NOTES - FLOOR PLAN


A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 3 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



1

FLOOR PLAN - HOUSING UNIT 3

3/32" = 1'-0"



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007011

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:

FLOOR PLAN -  
HOUSING UNIT 3


SHEET NUMBER:

A107

8 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS





A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 3 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.


$$3/32'' = 1'-0''$$


BID DOCUMENTS

GENERAL NOTES - FLOOR PLAN


- A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 4 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



1

FLOOR PLAN - HOUSING UNIT 4

3/32" = 1'-0"



KEY PLAN

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007012

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP


SHEET TITLE:  
FLOOR PLAN -  
HOUSING UNIT 4

SHEET NUMBER:

A109

10 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS






1

MEZZANINE PLAN - HOUSING UNIT 4

3/32" = 1'-0"



GENERAL NOTES - FLOOR PLAN

- A. MORTISE LOCKSETS ON CELL DOORS IN HOUSING UNIT 4 ARE TO BE REMOVED AND REPLACED. REFER TO DOOR SCHEDULES, AND DOOR TYPES ON SHEET A601 AND HARDWARE GROUPS IN SPECIFICATION SECTION 087163.



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007012

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:

MEZZANINE PLAN -  
HOUSING UNIT 4


SHEET NUMBER:

A110


11 OF 14 SHEETS

11/10/2025


BID DOCUMENTS



KEY PLAN



NOTE: DOOR AND FRAME TO BE PRIMED AND PAINTED



METAL DOOR FRAME

## 1 DOOR TYPES

1/4" = 1'-0"

## 2 DOOR FRAME TYPE

1/4" = 1'-0"


| DOOR SCHEDULE HOUSING UNIT 1 |                     |               |           |                  |          |                         |
|------------------------------|---------------------|---------------|-----------|------------------|----------|-------------------------|
| DOOR #                       | ROOM NAME           | DOOR SIZE     | DOOR TYPE | HARDWARE GROUP # | QUANTITY | REMARKS                 |
| 1A101 TO 1D102               | CELL A101-CELL D102 | 2'-4" x 7'-0" | 1         | 2                | 8        | REPLACE DEAD LATCH LOCK |
| 1A103 TO 1D116               | CELL A103-CELL D116 | 2'-4" x 7'-0" | 1         | 1                | 56       | REPLACE DEAD LATCH LOCK |
| 1A201 TO 1D216               | CELL A201-CELL D216 | 2'-4" x 7'-0" | 1         | 1                | 64       | REPLACE DEAD LATCH LOCK |

| DOOR SCHEDULE HOUSING UNIT 2 |                     |               |           |                  |          |                         |
|------------------------------|---------------------|---------------|-----------|------------------|----------|-------------------------|
| DOOR #                       | ROOM NAME           | DOOR SIZE     | DOOR TYPE | HARDWARE GROUP # | QUANTITY | REMARKS                 |
| 2A101 TO 2D102               | CELL A101-CELL D102 | 2'-4" x 7'-0" | 1         | 2                | 8        | REPLACE DEAD LATCH LOCK |
| 2A103 TO 2D116               | CELL A103-CELL D116 | 2'-4" x 7'-0" | 1         | 1                | 56       | REPLACE DEAD LATCH LOCK |
| 2A201 TO 2D216               | CELL A201-CELL D216 | 2'-4" x 7'-0" | 1         | 1                | 64       | REPLACE DEAD LATCH LOCK |


| DOOR SCHEDULE HOUSING UNIT 3 |                     |               |           |                  |          |                         |
|------------------------------|---------------------|---------------|-----------|------------------|----------|-------------------------|
| DOOR #                       | ROOM NAME           | DOOR SIZE     | DOOR TYPE | HARDWARE GROUP # | QUANTITY | REMARKS                 |
| 3A101 TO 3D102               | CELL A101-CELL D102 | 2'-4" x 7'-0" | 1         | 2                | 8        | REPLACE DEAD LATCH LOCK |
| 3A103 TO 3D116               | CELL A103-CELL D116 | 2'-4" x 7'-0" | 1         | 1                | 56       | REPLACE DEAD LATCH LOCK |
| 3A201 TO 3D216               | CELL A201-CELL D216 | 2'-4" x 7'-0" | 1         | 1                | 64       | REPLACE DEAD LATCH LOCK |

| DOOR SCHEDULE HOUSING UNIT 4 |                     |               |           |                  |          |                         |
|------------------------------|---------------------|---------------|-----------|------------------|----------|-------------------------|
| DOOR #                       | ROOM NAME           | DOOR SIZE     | DOOR TYPE | HARDWARE GROUP # | QUANTITY | REMARKS                 |
| 4A101 TO 4D102               | CELL A101-CELL D102 | 2'-4" x 7'-0" | 1         | 2                | 8        | REPLACE DEAD LATCH LOCK |
| 4A103 TO 4D116               | CELL A103-CELL D116 | 2'-4" x 7'-0" | 1         | 1                | 56       | REPLACE DEAD LATCH LOCK |
| 4A201 TO 4D216               | CELL A201-CELL D216 | 2'-4" x 7'-0" | 1         | 1                | 64       | REPLACE DEAD LATCH LOCK |

| DOOR SCHEDULE ADMIN & HOUSING UNIT 5 ALTERNATES |               |                   |           |                  |          |                                           |
|-------------------------------------------------|---------------|-------------------|-----------|------------------|----------|-------------------------------------------|
| DOOR #                                          | ROOM NAME     | DOOR SIZE         | DOOR TYPE | HARDWARE GROUP # | QUANTITY | REMARKS                                   |
| 151A 151B 151C                                  | SALLYPORT 151 | (2) 3'-0" x 7'-0" | 3         | 4                | 3        | SLIDING DOOR MECHANISM TO BE REPLACED     |
| 256                                             | HALL 256      | 4'-0" x 7'-0"     | 2         | 3                | 1        | NEW DOOR/FRAME W/ 1" METAL SPANDREL PANEL |
| 256A 256B                                       | SALLYPORT 256 | (2) 3'-0" x 7'-0" | 3         | 4                | 2        | SLIDING DOOR MECHANISM TO BE REPLACED     |
| 256A 256B                                       | SALLYPORT 256 | (2) 3'-0" x 7'-0" | 3         | 4                | 2        | SLIDING DOOR MECHANISM TO BE REPLACED     |



CELL SIDE




NOTE: MODIFY JAMB TO ACCEPT STRIKE (TYP.)

DAY ROOM SIDE

## ENLARGED ELEVATION AT TYPICAL CELL DOOR

3" = 1'-0"




DAY ROOM SIDE

CELL SIDE

## LOCK FUNCTION @ CELL DOOR

3" = 1'-0"



KEY PLAN

## GENERAL DOOR NOTES

1. FIELD VERIFY ALL EXISTING DOOR OPENINGS.
  2. ALL EXISTING METAL DOORS TO BE 2" HOLLOW METAL (STEEL) AND DETENTION QUALITY.
  3. ALL NEW METAL DOORS TO BE 1 3/4" HOLLOW METAL EXTERIOR GRADE (STEEL) AND DETENTION QUALITY.
  4. SEE SPECIFICATIONS SECTION 08163 FOR DESCRIPTION OF HARDWARE GROUPS.
  5. COORDINATE ALL ELECTRIC LATCHES WITH CONTROL ROOM. SEE DOOR HARDWARE SPECIFICATION SECTION 087163.
- TYPICAL CELL DOOR: AT THE DOOR AND FRAME THE LOCK POCKET WILL BE MODIFIED TO ACCEPT THE NEW MORTICE LOCKSET, WELDING AND PREPPING THE LOCK POCKET WILL INCLUDE DRILLING AND TAPPING THE POCKET TO ACCEPT THE LOCK CASE FACE. THE DOOR INTERIOR AND EXTERIOR FACE WILL RECEIVE 14GA WELDED STEEL TO COVER THE EXISTING LOCK OPENINGS AND BE PREPPED FOR THE MORTICE LOCK/KNOB-HANDLE. ABOVE THE MORTICE LOCK POCKET, THE DOOR AND FRAME WILL BE MODIFIED TO ACCEPT A DEADBOLT. ONCE THE MODIFICATIONS ARE COMPLETE THE MODIFIED AREAS WILL BE PRIMED AND PAINTED.

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01

SITE # 7007

ASSET # 9327007008, 9327007009,  
9327007010, 9327007011,  
9327007012

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_

ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP

SHEET TITLE:

DOOR SCHEDULE &  
DETAILS

SHEET NUMBER:





A601

12 OF 14 SHEETS

11/10/2025

BID DOCUMENTS





## AUTOMATIC SLIDERS ADMINISTRATION BUILDING

NOT TO SCALE



METAL PLATE COVER TO BE REMOVED AND RE-INSTALLED



EXISTING SLIDING DOOR MECHANISM TO BE REMOVED AND REPLACED



EXISTING SLIDING DOOR MECHANISM TO BE REMOVED AND REPLACED



## HOUSING UNIT #5 AUTOMATIC SLIDERS

NOT TO SCALE



DOOR & FRAME TO BE REPLACED



MORTISE LOCK TO BE REMOVED AND REPLACED WITH DEAD BOLT CYLINDER LOCK AND METAL WRAP PLATE



## DOOR# 256 (TO BE REPLACED)

NOT TO SCALE

## TYPICAL HOUSING UNIT #1-#4 CELL DOORS

NOT TO SCALE

STATE OF MISSOURI  
MIKE KEHOE,  
GOVERNOR



PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET #

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: JGR  
CHECKED BY: MES  
DESIGNED BY: BAP


SHEET TITLE:

EXISTING  
CONDITIONS  
PHOTOGRAPHS

SHEET NUMBER:

A901  
13 OF 14 SHEETS  
11/10/2025

BID DOCUMENTS







PROFESSIONAL SEAL

ARCHITECTURE &  
ENGINEERING



6 SOUTH OLD ORCHARD AVE.  
ST. LOUIS, MO 63119  
T: 314.918.8383  
F: 314.918.1766  
www.introba.com  
BRAD PIERCE (ARCH.)  
brad.pierce@introba.com  
TJ BLOCH (ELEC.)  
tj.bloch@introba.com

MISSOURI STATE CERTIFICATE  
OF AUTHORITY #000148

OFFICE OF  
ADMINISTRATION  
DIVISION OF FACILITIES  
MANAGEMENT,  
DESIGN AND  
CONSTRUCTION  
MISSOURI DEPARTMENT  
OF CORRECTIONS

REPLACE LOCKING SYSTEM

MISSOURI EASTERN  
CORRECTIONAL CENTER  
18701 OLD HIGHWAY 66,  
PACIFIC, MO, 63069

PROJECT # C2410-01  
SITE # 7007  
ASSET # 9327007009

REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
REVISION: \_\_\_\_\_  
DATE: \_\_\_\_\_  
ISSUE DATE: 11/10/2025

CAD DWG FILE: \_\_\_\_\_  
DRAWN BY: TK  
CHECKED BY: TB  
DESIGNED BY: TK

SHEET TITLE:  
ADMIN BLDG. AND  
HOUSING UNIT 5  
ALTERNATES

SHEET NUMBER:

E300

14 OF 14 SHEETS  
11/10/2025  
BID DOCUMENTS

SHEET GENERAL NOTES

1. PRIOR TO REPLACEMENT OF SLIDING DOOR MECHANISMS, TEST CONTINUITY AND TRACE ALL EXISTING POWER CONDUCTORS AND LOW VOLTAGE CONTROL WIRING TO SOURCE. PROVIDE LABELS AT BOTH ENDS OF CONDUCTORS AND WIRING TO IDENTIFY DOOR AND SOURCE. COORDINATE WITH OWNER FOR IDENTIFICATION NOMENCLATURE.
2. PROVIDE ALL CONNECTIONS AND CABLING TO INTEGRATE REPLACED DOOR HARDWARE INTO EXISTING DOOR CONTROL SYSTEM.
3. PROVIDE FUNCTIONAL TESTING AND DEMONSTRATE DOOR FUNCTIONALITY TO OWNER.


#

SHEET KEYNOTES

1. DISCONNECT AND MAKE SAFE POWER CONDUCTORS AND LOW VOLTAGE CONTROL CABLING. SAVE CONDUCTORS AND CABLING FOR RE-USE WITH NEW ELECTRIFIED DOOR HARDWARE. RECONNECT EXISTING CONDUCTORS AND CABLING TO NEW ELECTRIFIED DOOR HARDWARE. EXTEND CONDUCTORS AND CABLING AS REQUIRED.



BID ALTERNANT NOTES

- THE FOLLOWING DOOR(S) ARE INCLUDED IN BID ALTERNATE 1:  
258A  
258B  
259A  
259B  
151A  
151B  
151C
- THE FOLLOWING DOOR(S) ARE INCLUDED IN BID ALTERNATE 2:  
256



PARTIAL FLOOR PLAN - ADMIN BLDG. AND  
HOUSING UNIT 5

3/32" = 1'-0"



KEY PLAN